

# N.P.T. S.R.L. A SOCIO UNICO

S-BOND MAX 2K part A

Revision nr.2 Dated 05/03/2019 Printed on 14/03/2019 Page n. 1 / 10 Replaced revision:1 (Dated 21/05/2015)

## Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

#### SECTION 1. Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name S-BOND MAX 2K part A 1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use Two components adhesive cyanoacrylate-based. Industrial Professional Consumer **Identified Uses** SEALANTS AND ADHESIVES FORMULATIONS IN INDUSTRY SU: 10. FRC: 2 PROC: 3, 4, 5, 8a, 8b, 9. PC: 1. INDUSTRIAL APPLICATIONS OF SEALANTS SU: 17, 19. AND ADHESIVES SU: 17, 19. ERC: 5, 8b. ERC: 5, 8b. PROC: 10, 8a, 8b. PROC: 10, 8a, 8b. PC: 1. PC: 1. CHEMICAL SUBSTANCE USE IN PROC: 15. LABORATORY, INDUSTRIAL PC: 1, 21. 1.3. Details of the supplier of the safety data sheet N.P.T. S.R.L. A SOCIO UNICO Name Full address via Guido Rossa 2 District and Country 40053 Valsamoggia - Loc. Crespellano (BO) Italy Tel +39 051 969109 Fax +39 051 969837 e-mail address of the competent person responsible for the Safety Data Sheet infoSDS@nptsrl.com 1.4. Emergency telephone number Laboratories and manufactory plant - Gropello Cairoli (PV) For urgent inquiries refer to +39 0382 815132 (avaiable from Monday to Friday, only in the following office hours: 8.30-12.30, 13.30-17.00). **SECTION 2. Hazards identification** 2.1. Classification of the substance or mixture The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet. Hazard classification and indication: H319 Eye irritation, category 2 Causes serious eye irritation. Skin irritation, category 2 H315 Causes skin irritation. Specific target organ toxicity - single exposure, H335 May cause respiratory irritation. category 3

ΕN



N.P.T. S.R.L. A SOCIO UNICO

## S-BOND MAX 2K part A

Revision nr.2 Dated 05/03/2019 Printed on 14/03/2019 Page n. 2 / 10 Replaced revision:1 (Dated 21/05/2015)

### SECTION 2. Hazards identification ... / >>

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.						
Hazard pictograms:						
Signal words:	Warning					
Hazard statements: H319 H315 H335 EUH202	H319Causes serious eye irritation.H315Causes skin irritation.H335May cause respiratory irritation.					
Precautionary statement <b>P261</b> <b>P280</b> <b>P312</b> <b>P403+P233</b> <b>P264</b>	Avoid breathing dust / fume / gas / mist / vapours / spray. Wear protective gloves / eye protection / face protection. Call a POISON CENTRE / doctor / if you feel unwell.					
Contains:	ETHYL-2-CYANOAC	RYLATE.				
2.3. Other hazards						
		not contain any PBT or vPvB in percentage greater than 0,1%.				
SECTION 3. Compo	osition/informati	ion on ingredients				
3.2. Mixtures						
Contains:						
Identification	x = Conc. %	Classification 1272/2008 (CLP)				
ETHYL-2-CYANOACRY CAS 7085-85- EC 230-391- INDEX 607-236- Reg. no. 01-2119- HYDROQUINONE	-0 94 ≤ x < 98 -5	Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335				
CAS 123-31-5 EC 204-617- INDEX 604-005-	-8	Carc. 2 H351, Muta. 2 H341, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10				

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## **SECTION 4. First aid measures**

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.



Revision nr.2 Dated 05/03/2019 Printed on 14/03/2019 Page n. 3 / 10 Replaced revision:1 (Dated 21/05/2015) ΕN

#### SECTION 4. First aid measures ... / >>

4.2. Most important symptoms and effects, both acute and delayed

Irritating effects.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## SECTION 5. Firefighting measures

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### **SECTION 6.** Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage**

## 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

## 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.



10

Revision nr.2 Dated 05/03/2019 Printed on 14/03/2019 Page n. 4 / 10 Replaced revision:1 (Dated 21/05/2015) ΕN

#### SECTION 7. Handling and storage ... / >>

Storage class TRGS 510 (Germany):

#### 7.3. Specific end use(s)

Information not available

## **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters

Regulatory References:

CZE ESP	Česká Republika España	Nařízení vlády č. 361/2007 Sb. kterým se stanoví podmínky ochrany zdraví při práci INSHT - Límites de exposición profesional para agentes guímicos en España 2017
FRA	France	JORF n°0109 du 10 mai 2012 page 8773 texte n° 102
GBR	United Kingdom	EH40/2005 Workplace exposure limits
GRC	Ελλάδα	ΕΦΗΜΕΡΙΣ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ -ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 19 - 9 Φεβρουαρίου 2012
HRV	Hrvatska	NN13/09 - Ministarstvo gospodarstva, rada i poduzetništva
NLD	Nederland	Databank of the social and Economic Concil of Netherlands (SER) Values, AF 2011:18
POL	Polska	ROZPORZĄDZENIE MINISTRA RODZIN Y, PRAC Y I POLITYKI SPOŁECZNEJ z dnia 12 czerwca 2018 r
SWE	Sverige TLV-ACGIH	Occupational Exposure Limit Values, AF 2011:18 ACGIH 2018

#### ETHYL-2-CYANOACRYLATE.

Туре (	Country	TWA/8h		STEL/15	min				
		mg/m3	ppm	mg/m3	ppm				
TLV-ACGIH		1	0,2						
-Health - Derived no	effect lev	el - DNEL /	DMEL						
	Effe	cts on consu	imers			Effects on work	ers		
Route of exposure	Acu	te Acı	ute	Chronic	Chronic	Acute local	Acute	Chronic	Chronic
	loca	l sys	temic	local	systemic		systemic	local	systemic
Inhalation				9,25	9,25			9,25	9,25
				mg/m3	mg/m3			mg/m3	mg/m3

HYDROQUINONE									
Threshold Limit	Threshold Limit Value								
Туре	Country	TWA/8h		STEL/15	min				
		mg/m3	ppm	mg/m3	ppm				
TLV	CZE	2		4		SKIN			
VLA	ESP	2							
VLEP	FRA	2							
WEL	GBR	0,5							
TLV	GRC	2		4					
GVI	HRV	0,5							
OEL	NLD	2							
NDS	POL	1		2					
MAK	SWE	0,5		1,5					
TLV-ACGIH		1							

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

In case of full contact use butyl rubber gloves, thickness> 0.4mm, permeation time> 480 min.

In prevision of accidental contact, use nitrile gloves, thickness> 0.4mm, permeation time> 480 min.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.



Revision nr.2 Dated 05/03/2019 Printed on 14/03/2019 Page n. 5 / 10 Reolaced revision:1 (Dated 21/05/2015)

#### SECTION 8. Exposure controls/personal protection ..../>>

EYE PROTECTIONWear airtight protective goggles (see standard EN 166).

#### **RESPIRATORY PROTECTION**

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## **SECTION 9.** Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	colourless	
Odour	pungent	
Odour threshold	Not available	
рН	Not available	
Melting point / freezing point	Not available	
Initial boiling point	Not available	
Boiling range	Not available	
Flash point	80 °C	
Evaporation rate	Not available	
Flammability (solid, gas)	Not available	
Lower inflammability limit	Not available	
Upper inflammability limit	Not available	
Lower explosive limit	Not available	
Upper explosive limit	Not available	
Vapour pressure	Not available	
Vapour density	Not available	
Relative density	1,07	
Solubility	insoluble in water	
Partition coefficient: n-octanol/water	Not available	
Auto-ignition temperature	Not available	
Decomposition temperature	Not available	
Viscosity	Not available	
Explosive properties	Not available	
Oxidising properties	Not available	
2. Other information		
VOC (Directive 2010/75/EC) :	0	

## **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

Non nota in caso di impiego conforme allo scopo previsto.

#### 10.2. Chemical stability

VOC (volatile carbon) :

Il prodotto è stabile nelle normali condizioni di impiego e di stoccaggio.

#### 10.3. Possibility of hazardous reactions

Reazioni pericolose con ossidanti forti, acqua, ammine, alcooli e soluzioni alcaline.

0

#### 10.4. Conditions to avoid



ΕN

## SECTION 10. Stability and reactivity ... / >>

Forte riscaldamento.

#### 10.5. Incompatible materials

Ved. sezione 10.3.

#### 10.6. Hazardous decomposition products

Gas/Vapori irritanti.

## **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

#### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

#### ACUTE TOXICITY

LC50 (Inhalation) of the mixture: LD50 (Oral) of the mixture: LD50 (Dermal) of the mixture:

> ETHYL-2-CYANOACRYLATE. LD50 (Oral) LD50 (Dermal)

HYDROQUINONE LD50 (Oral) LD50 (Dermal)

#### **SKIN CORROSION / IRRITATION**

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

#### **GERM CELL MUTAGENICITY**

Does not meet the classification criteria for this hazard class

#### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)

> 5000 mg/kg Rattus sp.> 2000 mg/kg Oryctolagus sp.

302 mg/kg Rat > 900 mg/kg Rat



Revision nr.2 Dated 05/03/2019 Printed on 14/03/2019 Page n. 7 / 10 Replaced revision:1 (Dated 21/05/2015)

SECTION 11. Toxicological information .../>>

**REPRODUCTIVE TOXICITY** 

Does not meet the classification criteria for this hazard class

**STOT - SINGLE EXPOSURE** 

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

## **SECTION 12. Ecological information**

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

#### 12.1. Toxicity

HYDROQUINONE LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants	0,044 mg/l/96h Danio rerio 0,13 mg/l/48h Daphnia magna 17 mg/l/72h Chlorococcales
12.2. Persistence and degradability	
HYDROQUINONE Solubility in water Rapidly degradable 12.3. Bioaccumulative potential	> 10000 mg/l
HYDROQUINONE Partition coefficient: n-octanol/water BCF	0,59 3,162
12.4. Mobility in soil	
HYDROQUINONE Partition coefficient: soil/water	1,585
12.5. Results of PBT and vPvB assessment	
On the basis of available data, the product does no	t contain any PBT or vPvB in percentage greater than 0,1%.
12.6 Other advance offects	

#### 12.6. Other adverse effects

Information not available

## **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.



Revision nr.2 Dated 05/03/2019 Printed on 14/03/2019 Page n. 8 / 10 Replaced revision:1 (Dated 21/05/2015)

## **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number

Not applicable 14.2. UN proper shipping name

Not applicable 14.3. Transport hazard class(es)

Not applicable 14.4. Packing group

Not applicable 14.5. Environmental hazards

Not applicable 14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

## **SECTION 15. Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC:

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point

<u>Substances in Candidate List (Art. 59 REACH)</u> On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH) None

3

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: None

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention: None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017) WGK 2: Hazard to waters

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.



ΕN

## **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Carc. 2	2	Carcinogenicity, category 2						
Muta.	2	Germ cell mutagenicity, category 2						
Acute	Tox. 4	Acute toxicity, category 4						
Eye Dam. 1		Serious eye damage, category 1						
Eye Irr	'it. 2	Eye irritation, category 2						
Skin Ir	rit. 2	Skin irritation, category 2						
STOT	SE 3	Specific target organ toxicity - single exposure, category 3						
Skin S	ens. 1	Skin sensitization, category 1						
Aquati	c Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1						
H351		Suspected of causing cancer.						
H341		Suspected of causing genetic defects.						
H302		Harmful if swallowed.						
H318		Causes serious eye damage.						
H319		Causes serious eye irritation.						
H315		Causes skin irritation.						
H335		May cause respiratory irritation.						
H317		May cause an allergic skin reaction.						
H400		Very toxic to aquatic life.						
EUH20	)2	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.						
	iptor system:	Example they into which we						
ERC	2	Formulation into mixture						
ERC	5	Use at industrial site leading to inclusion into/onto article						
ERC PC	8b 1	Widespread use of reactive processing aid (no inclusion into or onto article, indoor) Adhesives, sealants						
PC	21							
PROC		Laboratory chemicals Roller application or brushing						
PROC		Use as laboratory reagent						
PROC		Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled						
FROC	5	exposure or processes with equivalent containment condition						
PROC	1	Chemical production where opportunity for exposure arises						
PROC		Mixing or blending in batch processes						
PROC		Transfer of substance or mixture (charging and discharging) at non- dedicated facilities						
PROC		Transfer of substance or mixture (charging and discharging) at hole dedicated facilities						
PROC		Transfer of substance or mixture into small containers (dedicated filling line, including weighing)						
SU	10	Formulation [mixing] of preparations and/or re-packaging (excluding alloys)						
SU	17	General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment						
SU	19	Building and construction work						
		·						
LEGEND:								
- ADR: Eu	ropean Agreement o	concerning the carriage of Dangerous goods by Road						
- CAS NUI	MBER: Chemical Ab	stract Service Number						
- CE50: Effective concentration (required to induce a 50% effect)								
- CE NUM	BER: Identifier in ES	SIS (European archive of existing substances)						
- CLP: EC	Regulation 1272/20	108						
	erived No Effect Lev	rel						
	nergency Schedule							
		system of classification and labeling of chemicals						
		ransport Association Dangerous Goods Regulation						
ICE0. Im	mobilization Concor	tration 50%						

- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%

- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.



Revision nr.2 Dated 05/03/2019 Printed on 14/03/2019 Page n. 10 / 10 Replaced revision:1 (Dated 21/05/2015)

### SECTION 16. Other information ... / >>

- TWA STEL: Short-term exposure limit- TWA: Time-weighted average exposure limit VOC: Volatile organic Compounds
- VOC. Volatile organic compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified: 01 / 02 / 03 / 04 / 08 / 09 / 10 / 11 / 12 / 14 / 15 / 16.



Revision nr.2 Dated 14/03/2019 Printed on 14/03/2019 Page n. 1 / 8 Replaced revision:1 (Dated 21/05/2015)

ΕN

## **Information Sheet**

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name

S-BOND MAX 2K part B

1.2. Relevant identified uses of the substance or mixture and uses advised against

	Intended use	Two components adhesive cyanoacrylate-based.		
	Identified Uses	Industrial	Professional	Consumer
	SEALANTS AND ADHESIVES FORMULATIONS IN INDUSTRY	SU: 10. ERC: 2. PROC: 3, 4, 5, 8a, 8b, 9. PC: 1.	<u>.</u>	<u>_</u>
	INDUSTRIAL APPLICATIONS OF SEALANTS			
	AND ADHESIVES	SU: 17, 19. ERC: 5, 8b. PROC: 10, 8a, 8b. PC: 1.	SU: 17, 19. ERC: 5, 8b. PROC: 10, 8a, 8b. PC: 1.	
	CHEMICAL SUBSTANCE USE IN			
	LABORATORY, INDUSTRIAL	PROC: 15. PC: 1, 21.	-	-
1.	3. Details of the supplier of the safety data sheet			
	Name	N.P.T. S.R.L. A SOCIO UN	ICO	
	Full address	via Guido Rossa 2		
	District and Country	40053 Valsamoggia - Loo Italy Tel. +39 051 969109 Fax +39 051 969837	c. Crespellano (BO)	
	e-mail address of the competent person	1 dx 1 33 031 303037		
	responsible for the Safety Data Sheet	infoSDS@nptsrl.com		
1.	4. Emergency telephone number			
	For urgent inquiries refer to		ctory plant - Gropello Cairoli (PV e from Monday to Friday, only in	
S	ECTION 2. Hazards identification			
2.	1. Classification of the substance or mixture			

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

Hazard classification and indication:

### 2.2. Label elements

Hazard pictograms:	
Signal words:	
Hazard statements:	
Precautionary statements:	



Revision nr.2 Dated 14/03/2019 Printed on 14/03/2019 Page n. 2 / 8 Replaced revision:1 (Dated 21/05/2015)

ΕN

#### SECTION 2. Hazards identification ... / >>

This product is not subject to hazard labeling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

## **SECTION 3. Composition/information on ingredients**

#### 3.1. Substances

The product does not contain substances classified as being hazardous to human health or the environment pursuant to the provisions Regulation (EU) 1272/2008 (CLP) (and subsequent amendments and supplements) in such quantities as to require the statement.

#### **SECTION 4. First aid measures**

#### 4.1. Description of first aid measures

Not specifically necessary. Observance of good industrial hygiene is recommended.

#### 4.2. Most important symptoms and effects, both acute and delayed

No episodes of damage to health ascribable to the product have been reported.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections



ΕN

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage**

### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

10

Storage class TRGS 510 (Germany):

#### 7.3. Specific end use(s)

Information not available

## **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters

Information not available

#### 8.2. Exposure controls

Comply with the safety measures usually applied when handling chemical substances. HAND PROTECTION None required. SKIN PROTECTION None required. EYE PROTECTION None required. RESPIRATORY PROTECTION None required, unless indicated otherwise in the chemical risk assessment. ENVIRONMENTAL EXPOSURE CONTROLS The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## **SECTION 9.** Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	white	
Odour	characteristic	
Odour threshold	Not available	
рН	Not available	
Melting point / freezing point	Not available	
Initial boiling point	Not available	
Boiling range	Not available	
Flash point	138 °C	
Evaporation rate	Not available	
Flammability (solid, gas)	Not available	
Lower inflammability limit	Not available	
Upper inflammability limit	Not available	
Lower explosive limit	Not available	
Upper explosive limit	Not available	
Vapour pressure	Not available	
Vapour density	Not available	
Relative density	1,17	
Solubility	Not available	
Partition coefficient: n-octanol/water	Not available	
Auto-ignition temperature	Not available	
Decomposition temperature	Not available	



Revision nr.2 Dated 14/03/2019 Printed on 14/03/2019 Page n. 4 / 8 Replaced revision:1 (Dated 21/05/2015) ΕN

## SECTION 9. Physical and chemical properties .../>>

Viscosity Explosive properties Oxidising properties	Not available Not available Not available
9.2. Other information	
VOC (Directive 2010/75/EC) :	0
VOC (volatile carbon):	0

## **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

#### 10.5. Incompatible materials

Information not available

#### 10.6. Hazardous decomposition products

Information not available

## **SECTION 11. Toxicological information**

#### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

## ACUTE TOXICITY

Does not meet the classification criteria for this hazard class

#### **SKIN CORROSION / IRRITATION**

Does not meet the classification criteria for this hazard class

#### SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

**RESPIRATORY OR SKIN SENSITISATION** 



## SECTION 11. Toxicological information ... / >>

Does not meet the classification criteria for this hazard class

## GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

## 

Does not meet the classification criteria for this hazard class

### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

## **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity

Information not available

#### 12.2. Persistence and degradability

Information not available

#### 12.3. Bioaccumulative potential

Information not available

#### 12.4. Mobility in soil

Information not available

## 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

### 12.6. Other adverse effects

Information not available

## **SECTION 13. Disposal considerations**

## 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

ΕN



Revision nr.2 Dated 14/03/2019 Printed on 14/03/2019 Page n. 6 / 8 Replaced revision:1 (Dated 21/05/2015)

## **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number

Not applicable 14.2. UN proper shipping name

Not applicable 14.3. Transport hazard class(es)

Not applicable 14.4. Packing group

Not applicable 14.5. Environmental hazards

Not applicable 14.6. Special precautions for user

Not applicable

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

## **SECTION 15. Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC:

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 None

None

<u>Substances in Candidate List (Art. 59 REACH)</u> On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH) None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: None

<u>Substances subject to the Rotterdam Convention:</u> None

Substances subject to the Stockholm Convention: None

Healthcare controls Information not available

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017) WGK 1: Low hazard to waters Self assessment based on Annex 3

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.



Revision nr.2 Dated 14/03/2019 Printed on 14/03/2019 Page n. 7 / 8 Replaced revision:1 (Dated 21/05/2015) ΕN

## **SECTION 16. Other information**

Use descri	ptor system:	
ERC	2	Formulation into mixture
ERC	5	Use at industrial site leading to inclusion into/onto article
ERC	8b	Widespread use of reactive processing aid (no inclusion into or onto article, indoor)
PC	1	Adhesives, sealants
PC	21	Laboratory chemicals
PROC	10	Roller application or brushing
PROC	15	Use as laboratory reagent
PROC	3	Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled
		exposure or processes with equivalent containment condition
PROC	4	Chemical production where opportunity for exposure arises
PROC	5	Mixing or blending in batch processes
PROC	8a	Transfer of substance or mixture (charging and discharging) at non- dedicated facilities
PROC	8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC	9	Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
SU	10	Formulation [mixing] of preparations and/or re-packaging (excluding alloys)
SU	17	General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment
SU	19	Building and construction work

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)



Revision nr.2 Dated 14/03/2019 Printed on 14/03/2019 Page n. 8 / 8 Replaced revision:1 (Dated 21/05/2015) ΕN

#### SECTION 16. Other information ... / >>

- The Merck Index. - 10th Edition- Handling Chemical Safety

- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified: 01 / 02 / 03 / 04 / 06 / 07 / 08 / 09 / 11 / 14 / 15 / 16.