

Safety Data Sheet

1. Identification of the substance / preparation and the Company

1.1 Identification of the substance or preparation

Code: 50700÷51700, 51967
Product name: Sigill STRIP BAND

1.2 Use of the substance / preparation

Intended use: Pre-formed butyl sealant; for building, windows, electric appliances and metalwork.

1.3 Company identification

Name: PIGAL s.p.a.
Full address: Via G. Rossa, 2
District and Country: 40056 Crespellano (BO) ITALIA
Tel.: +39 051969068
Fax: +39 051969353
e-mail address of the competent person responsible for the Safety Data Sheet: pigalab@pigal.it

1.4 Emergency telephone

For urgent inquiries refer to: +39 051969068
118 (contattare il centro antiveleni più vicino)

2. Hazards Identification.

This product is not dangerous under 67/548/EEC and 1999/45/EC directives and subsequent amendments.

3. Composition / Information on ingredients.

The product is not classified as hazardous pursuant to directives 67/548/EEC and 1999/45/EC and subsequent amendments and upgrades and does not contain substances classified as being hazardous to human health or the environment pursuant to 67/548/EEC and subsequent amendments.

4. First aid measures.

No episodes of damage to health ascribable to the product have been reported. Nevertheless, observance of good industrial hygiene is recommended.

5. Fire-fighting measures.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SUITABLE EXTINGUISHING MEDIA

The extinction equipment should be of the conventional kind: carbon dioxide, foam, powder and nebulised water.

EXTINGUISHING MEDIA WHICH SHALL NOT BE USED FOR SAFETY REASONS

None in particular.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products (carbon oxide, toxic pyrolysis products, etc).

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Hardhat with visor, fireproof clothing (fireproof jacket and trousers with straps around arms, legs and waist), work gloves (fireproof, cut proof and dielectric), a depressurised mask with facemask covering the whole of the operator's face or a self-respirator (self-protector) in the event of large quantities of fume.

6. Accidental release measures.

PERSONAL PRECAUTIONS

Use breathing equipment if fumes or powders are released into the air.

ENVIRONMENTAL PRECAUTIONS

The product must not penetrate the sewers, surface water, ground water and neighbouring areas.

METHODS FOR CLEANING UP

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

7. Handling and storage.

Make sure that equipment is available for cooling the vessels, to prevent the danger of overpressure and overheating in the event of fire in the vicinity. Refer to the other sections of this data sheet for information relating to health and environmental risks.

8. Exposure control / personal protection.

8.1 Exposure limit values.

Not available.

8.2 Exposure controls.

As the use of adequate technical equipment must always take priority over personal protection equipment, make sure that the workplace is well aired through effective local aspiration or bad air vent. If such operations do not make it possible to keep the concentration of the product below the permitted workplace exposure thresholds a suitable respiratory tract protection must be used. See product label for hazard details during use. Ask your chemical substance suppliers for advice when choosing personal protection equipment. Personal protection equipment must comply with the rules in force indicated below.

HAND PROTECTION

Protect hands with category I (ref. Directive 89/686/EEC and standard EN 374) work gloves, such as those in latex, PVC or equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable. Gloves' limit depends on the duration of exposure.

EYE PROTECTION

Use of protective airtight goggles (ref. standard EN 166) recommended.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (ref. Directive 89/686/CEE and standard EN 344). Wash body with soap and water after removing overalls.

RESPIRATORY PROTECTION

If the threshold value for one or more of the substances present in the preparation for daily exposure in the workplace or to a fraction established by the company's prevention and protection service is exceeded, wear an FFP3 (ref. standard EN 141) type half mask.

The use of breathing protection equipment, such as masks with organic vapour and dust/mist cartridges, is necessary in the absence of technical measures limiting worker exposure. The protection provided by masks is in any case limited.

If the substance in question is odourless or its olfactory threshold is higher than the relative exposure limit and in the event of an emergency, or when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear self-contained, open-circuit compressed air breathing apparatus (ref. standard EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (ref. standard EN 138).

9. Physical and chemical properties.

Colour	grey
Odour	odourless
Appearance	solid
Solubility	soluble in organic solvents
Viscosity	Not available.
Vapour density	Not available.
Evaporation Rate	Not available.
Reactive Properties	Not available.
Partition coefficient: n-octanol/water	Not available.
pH.	Not available.
Boiling point.	Not available.
Flash point.	> 60 °C.
Explosive properties.	Not available.
Ignition temperature.	> 240 °C.
Vapour pressure.	Not available.
Specific gravity.	1,750 Kg/l
VOC (Directive 1999/13/EC) :	0
VOC (volatile carbon) :	0

Note: colour BLACK only for code 51967.

PIGAL SPA	PIGAL s.p.a.	Revision nr.6 Dated 14/02/2011 Printed on 14/02/2011 Page n. 3 / 3
	50700÷51700, 51967 - Sigill STRIP BAND	
10. Stability and reactivity.		
The product is stable in normal conditions of use and storage. In the event of thermal decomposition or fire, vapours potentially dangerous to health may be released.		
11. Toxicological information.		
According to currently available data, this product has not yet produced health damages. Anyway, it must be handled according to good industrial practices.		
12. Ecological information.		
Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.		
13. Disposal consideration.		
Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Solid residues may be suitable for disposal in an authorised landfill site. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations. The valid EEC waste code are largely source-related; the manufacturer is, therefore, unable to specify waste codes for products used in various sectors. Small amount of product can be treated as Municipal Solid Waste. CER-code (suggested): 08 04 10.		
14. Transport information.		
This product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.		
15. Regulatory information.		
Warning symbols: None. Hazard sentences (R): None. Caution recommendations (S): None. This product is not subject to hazard labeling under the 67/548/EEC and 1999/45/EC directives and following amendments and adjustments. Product not intended for uses provided for by Dir. 2004/42/CE.		
16. Other information.		
GENERAL BIBLIOGRAPHY 1. Directive 1999/45/EC and following amendments; 2. Directive 67/548/EEC and following amendments and adjustments (technical adjustment XXIX); 3. Regulation (EC) 1272/2008 (CLP) of the European Parliament; 4. Regulation (EC) 1907/2006 (REACH) of the European Parliament; 5. The Merck Index. - 10th Edition; 6. Handling Chemical Safety; 7. Niosh - Registry of Toxic Effects of Chemical Substances; 8. INRS - Fiche Toxicologique (toxicological sheet); 9. Patty - Industrial Hygiene and Toxicology; 10. N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition; Note for users: The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product . This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.		